

Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 02/17/2009

Version No. 1

Reviewed on 02/17/2009

1 Identification of substance

- **Product details**

- **Trade name:** UZIN NC 170 LevelStar (USA)

- **Application of the substance / the preparation** Cement based levelling compound

- **Manufacturer/Supplier:**

Manufacturer:

UZIN UTZ AG

Dieselstrasse 3

D-89079 Ulm

Germany

Tel.: +49 (0)731 4097-0

Fax: +49 (0)731 4097-110

Supplier:

UFLOOR Systems Inc.

14705 E. 33rd Place Unit D

Aurora, CO 80011

Phone: +720-374-4810

Toll-Free: +1 866-505-4810

Fax: +1 720-374-2113

- **Information department:**

Product safety department

email: msds.info@uzin-utz.com

- **Emergency information:**

For Chemical Emergency Spill Leak Fire Exposure or Accident

Call CHEMTREC Day or Night: DOMESTIC NORTH AMERICA 800-424-9300

International, call +49 621 60 43 333

2 Hazards identification

- **Information pertaining to particular dangers for man and environment:**

The product has to be labelled due to the calculation procedure of international guidelines.

Irritating to skin.

Risk of serious damage to eyes.

- **NFPA ratings (scale 0 - 4)**



Health = 1

Fire = 0

Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 1

Fire = 0

Reactivity = 0

- **Additional information:**

NFPA Rating Scale: 0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe.

NFPA is the National Fire Protection Association.

HMIS Rating Scale: 0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe.

HMIS®, the Hazardous Materials Identification System, is a registered mark of the National Paint and Coatings Association (NPCA).

3 Composition/Data on components

- **Chemical characterization**

- **Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 2)

Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 02/17/2009

Version No. 1

Reviewed on 02/17/2009

Trade name: UZIN NC 170 LevelStar (USA)

(Contd. of page 1)

· Dangerous components:

14808-60-7	Quartz (SiO ₂)	25-50%
65997-15-1	Portland cement	5 - <10%

4 First aid measures

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Do not induce vomiting; immediately call for medical help.

5 Fire fighting measures

- **Suitable extinguishing agents:**
CO₂ extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Person-related safety precautions:** Wear dust mask.
- **Measures for environmental protection:** Do not allow to enter sewers/ surface or ground water.
- **Measures for cleaning/collecting:** Pick up mechanically.

7 Handling and storage

- **Handling:**
- **Information for safe handling:**
Prevent formation of dust.
Wear suitable protective clothing, gloves and eyeface protection.
Avoid contact with the eyes and skin.
Wash hands before breaks and at the end of work.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Store in dry conditions.
Protect from humidity and water.

8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Components with limit values that require monitoring at the workplace:**

14808-60-7 Quartz (SiO₂)	
PEL	see Quartz listing
REL	0.05* mg/m ³ *respirable dust
TLV	0.025* mg/m ³ *as respirable fraction

(Contd. on page 3)

Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 02/17/2009

Version No. 1

Reviewed on 02/17/2009

Trade name: UZIN NC 170 LevelStar (USA)

(Contd. of page 2)

65997-15-1 Portland cement

PEL	50 mppcf or 15* 5** mg/m ³ *total dust **respirable fraction
REL	10* 5** mg/m ³ *total dust **respirable fraction
TLV	(10) NIC-1* mg/m ³ (E); NIC-A4;*as respirable fraction

- **Personal protective equipment:**
- **General protective and hygienic measures:**
Prevent formation of dust.
Wear suitable protective clothing, gloves and eye/face protection.
Avoid contact with the eyes and skin.
Wash hands before breaks and at the end of work.
- **Breathing equipment:** When mixing wear suitable NIOSH-approved dust respirator.
- **Protection of hands:**



Use nitrile impregnated cotton-gloves

- **Material of gloves** Nitrile impregnated cotton-gloves
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· General Information

Form:	Solid
Color:	Grey
Odor:	Light

· Change in condition

Melting point/Melting range: Undetermined.
Boiling point/Boiling range: Undetermined.

- **Flash point:** Not applicable.
- **Auto igniting:** Product is not selfigniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Density:** Not determined.
- **Solubility in / Miscibility with Water:** Insoluble.
- **pH-value at 20°C (68°F):** 11

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

(Contd. on page 4)

Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 02/17/2009

Version No. 1

Reviewed on 02/17/2009

Trade name: UZIN NC 170 LevelStar (USA)

(Contd. of page 3)

- **Dangerous reactions** No dangerous reactions known.
- **Dangerous products of decomposition:** No dangerous decomposition products known.

11 Toxicological information

- **Acute toxicity:**
- **Specific symptoms in biological assay:**
- **Primary route(s) of entry:** Inhalation, skin contact, eye contact.
- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Strong irritant with the danger of severe eye injury.
- **Sensitization:**
No sensitizing effects known.
Low in Chromate (< 2 ppm) acc. Directive 2003/53/EG
- **Subacute to chronic toxicity:**
Respirable crystalline silica (quartz) may cause a severe lung disease named silicosis. Symptoms of silicosis may be a shortness of breath, fever or cough. Silicosis is reported to increase the risk of carcinogenicity caused by continuous inhalation of respirable crystalline silica. Though the product itself does not contain respirable crystalline silica, respirable silica may be generated from working procedures such as grinding e.g. In general, inhalation of silica dust should be avoided. Therefore, for your own safety wear a suitable NIOSH-approved respirator in all occasions when handling of the product generates dust.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

12 Ecological information

- **General notes:** Do not allow product to reach ground water, water course or sewage system.

13 Disposal considerations

- **Product:**
- **Recommendation:**
Do not allow product to reach sewage system.
Disposal should be in accordance with local, state or national legislation.
Mix product residues with water, allow to harden, then dispose of as construction waste.
- **Uncleaned packagings:**
- **Recommendation:**
Empty paper packaging is recyclable.
Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

14 Transport information

- **DOT regulations:**
- **Hazard class:** -
- **Maritime transport IMDG:**
- **IMDG Class:** -
- **Marine pollutant:** No
- **Air transport ICAO-TI and IATA-DGR:**
- **ICAO/IATA Class:** -

(Contd. on page 5)

Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 02/17/2009

Version No. 1

Reviewed on 02/17/2009

Trade name: UZIN NC 170 LevelStar (USA)

(Contd. of page 4)

· Transport/Additional information:

Not regulated as hazardous material according to the above specifications.

15 Regulations

· SARA (Superfund Amendments and Reauthorization Act)

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65 (California)

· Chemicals known to cause cancer:

Crystalline silica (quartz) is classified as a substance known to the State of California to be a carcinogen.

14808-60-7	Quartz (SiO ₂)
------------	----------------------------

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· IARC (International Agency for Research on Cancer)

14808-60-7	Quartz (SiO ₂)		Group I carcinogen
------------	----------------------------	--	--------------------

· NTP (National Toxicology Program)

14808-60-7	Quartz (SiO ₂)		carcinogen (respir. cryst. silica)
------------	----------------------------	--	------------------------------------

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Product related hazard informations:

The product has been classified and marked in accordance with directives on hazardous materials.

· Risk phrases:

Irritating to skin.

Risk of serious damage to eyes.

· Safety phrases:

Keep out of the reach of children.

Avoid contact with skin and eyes.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Wear suitable protective clothing and gloves.

USA

(Contd. on page 6)

Material Safety Data Sheet
acc. to ISO/DIS 11014

Printing date 02/17/2009

Version No. 1

Reviewed on 02/17/2009

Trade name: UZIN NC 170 LevelStar (USA)

(Contd. of page 5)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing MSDS:** Product safety department

· **Contact:**

USA: Mike Hodges, phone +1 720-374-4810

Germany: Dr. Zieger, phone +49 731.409.7207

USA